

NOXOUT

EXCELLENT
FOR CLEANING
AND ETCHING
CONCRETE SURFACES

CAUTION
KEEP OUT OF REACH OF CHILDREN

(SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS)

5 GALLONS

FOR INDUSTRIAL & INSTITUTIONAL USE ONLY

A safe chemical cleaner substitute for muriatic acid. Removes excess mortar and plaster from structural aluminum, brick, ceramic tile and tools. Excellent for cleaning and etching concrete surfaces. Harmless to most paints and finishes.

DIRECTIONS

This product may be used undiluted or mixed with up to 10 parts of water depending on the amount of debris to be removed.

Apply by brush, dip, soak or spray. If spray is used, use a course pattern that does not fog the atmosphere.

Wet surface before applying. Allow to soak surface for 1-15 minutes, until desired results are obtained. Repeat if necessary. Rinse thoroughly with running water. Keep vertical surfaces well wetted out during soak period.

Heavy accumulations of corrosion, rust or lime may require a second application and up to 30 minutes soak time. Rinse surface well and allow to dry.

If metal surfaces are to be painted, this should be done as soon as thorough drying has taken place.

CAUTION

KEEP OUT OF REACH OF CHILDREN
CONTAINS MIXED ORGANIC AND INORGANIC ACIDS. HARMFUL IF SWALLOWED. Avoid contact with skin or eyes. Use rubber gloves and goggles. As with all low pH products containing acids observe safety precautions.

FIRST AID

For **SKIN** contact flush immediately with plenty of water.
In case of **EYE** contact flush immediately with plenty of water. If irritation persists, call a physician.
If **SWALLOWED** drink a teaspoon or more of magnesia, chalk in milk, mucilage or raw egg whites, then induce vomiting. Call a physician immediately.

Good industrial hygiene calls for adequate ventilation. Carefully rinse and dispose of used container.

INGREDIENTS: Phosphoric Acid CAS #7664-38-2, Hydrochloric Acid CAS #7647-01-0

LIGO inc.

929 FIFTH AVENUE
McKEESPORT, PA 15132
(412) 422-7786