

SAFE-T-BOWL



Cleaner • Deodorizer • Disinfectant
Mildewstat (on hard, inanimate surfaces)
***Virucide • Tuberculocidal**
Fungicide (against pathogenic fungi)

Cuts Tough Grease and Grime (without scrubbing)

Active Ingredients:

n-Alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₀)	0.105%
dimethyl benzyl ammonium chloride	
n-Alkyl (68% C ₁₂ , 32% C ₁₄)	0.105%
dimethyl ethylbenzyl ammonium chloride	99.790%
Inert Ingredients:	100.000%
Total:	

KEEP OUT OF REACH OF CHILDREN
CAUTION

See side panels for additional precautionary statements.

EPA REG. NO. 1839-83 - 12367 EPA EST. NO. 12367-PA-1



929 Fifth Avenue • McKeesport, PA 15132
Phone: (412) 422 - 7786

NET CONTENTS: 1 QUART Product # L 201
US PATENT NO. 5, 444, 094

This product is designed specifically as a general (non-acid)(ready-to-use) (non-abrasive) cleaner and disinfectant for use in homes, hospitals, nursing homes, patient rooms, operating rooms, ICU areas, shower rooms, locker rooms, public restrooms, schools, lodging establishments, restaurants and office buildings. It is formulated to disinfect hard, non-porous, inanimate environmental surfaces: floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, bathrooms, shower stalls, bathtubs, and cabinets. For plastic and painted surfaces, spot test on an inconspicuous area before use. A rinse with potable water is required for surfaces in direct contact with food. In addition, this product deodorizes those areas which generally are hard to keep fresh smelling, such as garbage storage areas, empty garbage bins and cans, basements, restrooms and other areas which are prone to odors caused by microorganisms.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/ high-level disinfectant on any surface or instrument that (1) is introduced directly into the body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

DISINFECTION, DEODORIZING AND CLEANING - Remove gross filth or heavy soil prior to application of the product. Hold container six to eight inches from surface to be treated. Spray area until it is covered with the solution. Allow product to penetrate and remain wet for 3 minutes. (for Bloodborne Pathogens: HIV-1 **1 minute** and for HBV and HCV **5 minutes**). No scrubbing is necessary. Wipe off with a clean cloth, mop or sponge. The product will not leave grit or soap scum.

One-step cleaning and disinfection of toilet bowls and urinals: Remove water from bowl by forcing water over trap with a swab mop applicator. Press swab mop against side of the bowl to remove excess water from applicator. Apply 1 to 2 ounces of this product evenly, allowing sufficient time for product to cover entire surface of bowl for maximum cleaning. Swab bowl completely using a scrub brush or toilet mop, making sure to get under the rim. Let stand 3 minutes (for Bloodborne Pathogens: HIV-1 **1 minute** and HBV and HCV **5 minutes**) and flush.

TUBERCULOCIDAL ACTIVITY - This product exhibits disinfectant efficacy against Mycobacterium tuberculosis (BCG) at 20 degrees Centigrade when the treated surface is allowed to remain wet for 5 minutes.

Using approved AOC test methods (under Good Laboratory Practices, (GLPs), in the presence of 5% blood serum and a **3 minute** contact time, unless otherwise noted, this product kills the following organisms on hard non-porous inanimate surfaces: **BACTERICIDAL ACTIVITY (BACTERIA)** - Staphylococcus aureus (ATCC 6538), Salmonella choleraesuis (ATCC 10708), Pseudomonas aeruginosa (ATCC 15442), Escherichia coli 0157:H7 (ATCC 43895)

ANTIBIOTIC-RESISTANT (STRAINS OF) (ANTIBIOTIC-RESISTANT BACTERICIDAL ACTIVITY):

Methicillin resistant Staphylococcus aureus (MRSA)(ATCC 33593), Vancomycin intermediate resistant Staphylococcus aureus (VISA)(CDC Isolate 99287), Vancomycin resistant Enterococcus faecalis (VRE)(ATCC 51575)

***VIRUCIDAL ACTIVITY**-This product kills on hard, non-porous inanimate surfaces when allowed to remain wet for a 5 minute contact time against: HIV-1 (associated with AIDS), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Bovine Viral Diarrhea Virus (BVDV) .This product kills on hard, non-porous inanimate surfaces when allowed to remain wet for a 10 minute contact time against:Hepatitis A Virus (HAV), Canine Parvovirus, Poliovirus Type 1, Bovine Viral Diarrhea Virus (BVDV) This product, when used on environmental, inanimate, non-porous surfaces, exhibits effective virucidal activity against Norovirus and feline Calicivirus, when the treated surface is allowed to remain wet for 30 seconds.

KILLS HIV-1, HBV, HCV, AND HAV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings (Hospitals, Nursing Homes) or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis B Virus (HBV), Hepatitis C Virus (HCV), Hepatitis A Virus (HAV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, HCV, AND HAV OF SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, or eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product.

CONTACT TIME: Allow surface to remain wet for HIV-1 **1 minute** and HBV and HCV **5 minutes**. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

MILDEWSTAT - To control mold and mildew on pre-cleaned, hard, non-porous surfaces, spray surface to be treated, making sure to wet completely. Let air dry. Repeat application at weekly intervals or when mildew growth appears.

FUNGICIDAL ACTIVITY - This product is fungicidal against the pathogenic fungi, Trichophyton mentagrophytes (Athlete's Foot Fungus) when used with a 10 minute contact time on clean, non-porous, hard surfaces as found in bathrooms, shower stalls, locker rooms or other areas commonly contacted by bare feet. **EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE BACTERICIDE, FUNGICIDE, AND VIRUCIDE IN THE PRESENCE OF ORGANIC SOIL (5% BLOOD SERUM).**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

KEEP OUT OF REACH OF CHILDREN. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL Store in dry place no lower in temperature than 50°F or higher than 120°F. Do not reuse empty container (bottle, can, bucket). Wrap container and put in trash.